

BRILIGHT



2014
Katalog proizvoda

Makel elektro

Preduzeće "Makel Elektro" d.o.o. je osnovano 20.11.2001. godine i danas je jedno od vodećih na srpskom tržištu na polju rasvete. Osnivač, vlasnik i generalni direktor preduzeća je Goran Divljak.

Makel Elektro d.o.o. Pančevo

U decembru 2003. godine postali smo generalni uvoznik i distributer za teritoriju Srbije i Crne Gore rasvete poljske marke: BRILUX, BRILUM i ELGO.

U godinama koje su sledile napravili smo veliku mrežu kupaca širom zemlje i potrudili se da naša

rasveta uđe u svaki grad, svaku maloprodaju rasvete, svaki dom...

Na putu, koji nimalo nije bio lak, mnogo su nam pomogli počevši od naših klijenata koji su u nama prepoznali ozbiljnog partnera za saradnju, do inostranog partnera koji nam je pružio kompletnu podršku.

Kako smo širili tržište, tako smo širili i asortiman proizvoda u našem prodajnom programu. Danas smo u stanju da širinom asortimana zadovoljimo i najprefinjenijim zahtevima tržišta.

Danas "Makel Elektro" d.o.o. zapošljava 18 radnika, poseduje sopstveni magacin od 8.000 m³ odnosno 1.440 paletnih mesta, savremenu poslovnu zgradu od 400 m² i potencijal širenja na domaćem tržištu i prodor na tržišta zemalja u okruženju.

Profesionalizam u radu i negovanje odnosa sa poslovnim partnerima, saradnicima i zaposlenima, ključ su našeg uspeha koji nas je doveo na lidersku poziciju uvoznika, veleprodaje i maloprodaje rasvete i pratećih programa.

Takodje posedujemo i novi maloprodajni objekat u centru Panceva gde mozete naci i ostale poznate brandove kao sto su: Eglo, Globo, Mvluks, Moller, Makel, Himel, Elit, Philips, GE, Maktrade, Metalka, Aling itd.



Veleprodaja

Novoseljanski put 165d, 26000 Pančevo

tel/fax: +381(0)13/332-787

tel/fax: +381(0)13/303-025, +381(0)13/303-026

e-mail: veleprodaja@brilum.rs (ponude, cenovnik)

e-mail: office@brilum.rs

Maloprodaja

Kočina 2, 26000 Pančevo

tel/fax: +381(0)13/316-496, 316-497, 316-498

e-mail: maloprodaja@brilum.rs



Katalog proizvoda 2014

Sadržaj

Sijalice

štedljive | fluo | inkadescetne | halogene | metal-halogene | LED

01

Lampe

stone i podne lampe

02

Dekorativna rasveta

spotovi | visilice | lusteri | zidne lampe

03

Fluo osvetljenje

rasteri | armature | panik lampe | baterijske lampe

04

Ugradna i nadgradna rasveta

rozetne | led rozetne | led paneli | šinski razvod

05

Reflektori i metal halogena zvona

LED reflektori | metal-halogeni i halogeni reflektori | metal-halogena zvona

06

Spoljna rasveta

spoljna rasveta | steloj | fenjeri

07

Led creva Led trake i oprema

08

Pribor

grla | kleme | senzori

09





Sijalice

štedljive | fluo | inkadescetne | halogene | metal halogene | LED



Fluorescentne sijalice

štedljive | fluo | inkadescentne | halogene | metal halogene | LED



Fluorescentna sijalica
T2 Full spiral

Vrsta	Watt (W)	CCT	Baza
T2-SFS15W	15	6400	E-27
T2-SFS18W	18	6400	E-27
T2-SFS20W	20	6400	E-27
T2-SFS20W	20	2700	E-27
T2-SFS23W	23	6400	E-27



Fluorescentna sijalica
T2 LFS

Vrsta	Watt (W)	CCT	Baza
T2-LFS	7	4000	E-14
T2-LFS	11	4000	E-14
T2-LFS	13	2700	E-14
T2-LFS	13	6400	E-14



Fluorescentna sijalica
T4 Full spiral

Vrsta	Watt (W)	CCT	Baza
T4-FS30W	30	6400	E-27



Fluorescentna sijalica
T2 Half spiral

Vrsta	Watt (W)	CCT	Baza
T2-LHS9W	9	6400	E-14
T2-LHS11W	11	6400	E-14
T2-LHS11W	11	2700	E-14

ŠTEDLJIVE SIJALICE



01



Fluorescentna sijalica
T3 Half spiral

Vrsta	Watt (W)	CCT	Baza
T3-HS13W	13	6400	E-14
T3-HS15W	15	6400	E-14



Fluorescentna sijalica
T2 4U

Vrsta	Watt (W)	CCT	Baza
T2-4U15W	15	6400	E-27



Fluorescentna sijalica
2D

Vrsta	Watt (W)	CCT	Baza
2D	16		GR8
2D	28		Gr10Q



Fluorescentna sijalica
Fcs

Vrsta	Watt (W)	CCT	Baza
Fcs	22		G10Q
Fcs	32		G10Q
Fcs	40		G10Q

01



Fluorescentna sijalica
T3 4U

Vrsta	Watt (W)	CCT	Baza
T3-4U18W	18	6400	E-27
T3-4U20W	20	6400	E-27
T3-4U23W	23	6400	E-27
T3-4U23W	23	2700	E-27
CFH 20W	20	2700	E-27
CFH 23W	23	2700	E-27



Fluorescentna sijalica
T2 3U

Vrsta	Watt (W)	CCT	Baza
T2-3U9W	9	6400	E-14
T2-3U11W	11	6400	E-14
T2-3U11W	11	2700	E-14



Fluorescentna sijalica
PLC 2pin

Vrsta	Watt (W)	CCT	Baza
PLC 2pin	13		G-24d1
PLC 2pin	18		G-24d2
PLC 2pin	26		G-24d3



Fluorescentna sijalica
PLS 2pin

Vrsta	Watt (W)	CCT	Baza
PLS	9		G-23
PLS	11		G-23



Fluorescentna sijalica
SPK 7W

Vrsta	Watt (W)	CCT	Baza
SPK	7	2700k 280 lumena	GX53

Fluorescentna sijalica
FTB T8



Vrsta	Watt (W)	Baza
FTB T8	18	G13
FTB T8	36	G13
FTB T8	58	G13

Fluorescentna sijalica
FTS T5



Vrsta	Watt (W)	Baza
FTS T5	8	G5
FTS T5	13	G5
FTS T5	14	G5
FTS T5	21	G5
FTS T5	28	G5

Inkadescentne sijalice



Standardna sijalica
GLS

Snaga/(W)	Grlo
25	E-27
40	E-27
60	E-27
75	E-27
100	E-27
150	E-27
200	E-27



Standardna sijalica
Sveća

Snaga/(W)	Grlo
25	E-14
40	E-14
60	E-14



Standardna sijalica
Kugla

Snaga/(W)	Grlo	Opis
25	E-14	bistra/mat/opal
40	E-14	bistra/mat/opal
60	E-14	bistra/mat/opal
25	E-27	bistra/mat/opal
40	E-27	bistra/mat/opal
60	E-27	bistra/mat/opal



Obične sijalice
T25

Snaga/(W)	Grlo	Opis
15	E-14	bistra za frižider
15	E-14	bistra, 300°C / rena

01



Obične sijalice
R-50

Snaga/(W)	Grlo
25	E-14
40	E-14
60	E-14



Obične sijalice
R-63

Snaga/(W)	Grlo
40	E-27
60	E-27



Obične sijalice
T-45 soft

Snaga/(W)	Grlo
25	E-14
40	E-14
60	E-14



Obične sijalice
T-60 soft

Snaga/(W)	Grlo
25	E-27
40	E-27
60	E-27
75	E-27
100	E-27



Infrared - sijalica


Snaga/(W)	Grlo
250	E-27



Infrasec - sijalica


Snaga/(W)	Grlo
250	E-27

Halogene sijalice




Halogena sijalica
GU-10S

Snaga/(W)	Kelvin	Grlo	Ugao svetlosti	Intenzitet svetla
20W	2800	GU-10	38°	360cd
35W	2800	GU-10	38°	560cd
50W	2800	GU-10	38°	880cd



Halogena sijalica
JC DR

Snaga/(W)	Kelvin	Grlo	Ugao svetlosti	Intenzitet svetla
20W	2800	GU-5,3	38°	360cd
35W	2800	GU-5,3	38°	560cd
50W	2800	GU-5,3	38°	880cd




Halogena sijalica
MR-16

Snaga/(W)	Kelvin	Grlo	Ugao svetlosti	Intenzitet svetla
20W	2800	GU-5,3	38°	450cd
35W	2800	GU-5,3	38°	900cd
50W	2800	GU-5,3	38°	1400cd


01

Metal halogene sijalice




Halogena sijalica
AR-111

Snaga/(W)	Kelvin	Grlo	Ugao svetlosti	Intenzitet svetla
35W		G53	8, 24, 45	13000, 2500, 1100
50W		G53	8, 24, 45	20000, 4000, 1400.
75W		G53	8, 24, 45	30000, 5300, 2000.




Halogena sijalica
G-9S FROSTED/CLEAR

Snaga/(W)	Kelvin	Grlo	Ugao svetlosti	Intenzitet svetla
20W	2800	G9	/	200 lumena
35W	2800	G9	/	410 lumena
40W	2800	G9	/	470 lumena
50W	2800	G9	/	630 lumena



Halogena sijalica
JC CLEAR

Snaga/(W)	Kelvin	Grlo	Ugao svetlosti	Intenzitet svetla
10W	2800	G4	/	130 lumena
20W	2800	G4	/	320 lumena
35W	2800	G6,35	/	600 lumena
50W	2800	G6,35	/	910 lumena



Halogena sijalica
J-78/J-118

Snaga/(W)	Kelvin	Grlo	Ugao svetlosti	Intenzitet svetla
150W	2800	R7S	/	2400 lumena
300W	2800	R7S	/	5200 lumena
500W	2800	R7S	/	9200 lumena



Metal halogena sijalica
MH-12

Snaga/(W)	Kelvin	Grlo
70w	4200	rx7s
150w	4200	rx7s



Metal halogena sijalica
MH-7

Snaga/(W)	Kelvin	Grlo
70w	6200	rx7s
150w	6200	rx7s



Metal halogena sijalica
MH-40

Snaga/(W)	Kelvin	Grlo
250w	4200	E-40
400w	4200	E-40

LED sijalice



LED sijalica - ACHRICHE

Snaga/(W)	Kelvin	Grlo	Ugao
4,5	6300k	gu-10	45

LED sijalica - BRILIGHT 3

Snaga/(W)	Napon	Kelvin	Grlo	Lumen
3	220V	3000k	gu-10	270
3	220V	6500k	gu-10	270



LED sijalica - AR 111 SMD

Snaga/(W)	Napon	Grlo	Ugao
11	12V	G 53	110



LED sijalica - GU 10D 21

Snaga/(W)	Napon	Br.dioda	Grlo
1,3	220 V	21	gu-10

LED sijalica - GU 10D 40

Snaga/(W)	Napon	Br.dioda	Grlo
2,4	220 V	40	gu-10

LED sijalica - GU 10D 48

Snaga/(W)	Napon	Br.dioda	Grlo
2,9	220 V	48	gu-10



LED sijalica - BL 033

Snaga/(W)	Kelvin	Grlo	Napon
5	2700-6500k	e-27	220V
7	2700-6500k	e-27	220V
9	2700-6500k	e-27	220V
12	2700-6500k	e-27	220V

LED sijalica - BL-SSP45

Snaga/(W)	Napon	Kelvin	Grlo
4	220V	2700-6500	e-14 e-27



Reflektorka - BL 050

Snaga/(W)	Kelvin	Grlo	Napon
5	2700-6300k	e-14	220V
8	2700-6300k	e-14	220V

Reflektorka - BL R63

Snaga/(W)	Kelvin	Grlo	Napon
8	2700-6300k	e-14	220V

Led Spot Light gu-10 ceramic


Snaga/(W)	Kelvin	Grlo	Napon
5	2700-6300k	gu-10	220V





Lampe 02

stone lampe | sobne lampe | podne lampe



02



Stona lamp
HN 2032

CRVENA METALIK ■
ZELENA METALIK ■
SV. PLAVA METALIK ■
ROZA METALIK ■
SREBRNA METALIK ■
230v E/14 max 40w,
metal,

Stona lamp
HN 1013

■ CRVENA METALIK
■ ZELENA METALIK
■ CRNA METALIK
■ PLAVA METALIK
■ SREBRNA

230v E/14 max 40w,
metal sa prekidačem
i sijalicom



Stona lamp
HN 1007

■ CRVENA METALIK
■ CRNA METALIK
■ TAMNO PLAVA METALIK
■ ROZA METALIK
■ SILVER METALIK
230v E/27 max 40w,
metal, sa sijalicom

Stona lamp
DL 355

CRNA ■ PLAVA ■
230v JC max 35w,
metal, plastika



Stona lamp
HN 2026

■ ROZA METALIK
■ SV. PLAVA METALIK
230v E/27 max 40w,
metal, sa sijalicom



Stona lamp
HN 2003

PLAVA ■ ŽUTA ■
NARANDŽASTA ■ ZELENA ■
230v E/14 max 40w, metal/plastika



Stona lamp
954

ROZA ■
PLAVA ■ ŽUTA ■
230v JC max 20w,
metal, plastika



Stona lamp
HN 2021

CRVENA METALIK ■
ZELENA METALIK ■
SV. PLAVA METALIK ■
ROZA METALIK ■
TAMNO PLAVA METALIK ■
230v E/14 max 40w,
metal, sa prekidačem



Stona lamp
7208 C

CRVENA ■ ZELENA ■
SREBRNA ■ ŽUTA ■
230v JC max 20w,
metal, plastika, sat

Stona lamp
Tilo

CRNA ■ CRVENA ■
ZELENA ■
230v E/27 max 60w,
metal, plastika



Stona lamp
HN 2008

CRVENA ■
PLAVA ■ ŽUTA ■
230v E/14 max 40w,
metal, plastika

Stona lamp
DL 328

ŽUTA ■
230v JC max 20w,
metal, plastika



Stona lamp
Mona

CRVENA ■ ZELENA ■
SREBRNA ■ PLAVA ■
230v JC max 20w,
metal, plastika



Stona lamp
HN 2002

■ ROZA ■ ŽUTA ■
■ PLAVA ■
230v E/14 max 40w,
metal

02



Stona lampo
HN 1009

CRVENA ■
ZELENA ■
PLAVA ■ ROZA ■
230v E/14 max 40w, metal



Stona lampo
HN 2004

PLAVA ■ CRVENA ■ ZELENA ■
ŽUTA ■ SREBRNA ■
230v E/14 max 40w,
metal sa dimerom



Stona lampo
HN 2066

PLAVA ■
ŽUTA ■
ZELENA ■
CRVENA ■
230v E/14 max 40w,
metal/plastika, sa satom



Stona lampo
HN 2038

CRNA ■
230v E/27 max 40w,
metal sa sijalicom



Stona lampo
HN 2061

PLAVA ■ ŽUTA ■
CRVENA ■ ROZA ■
230v E/27 max 40w,
metal sa prekidačem i
sijalicom



Stona lampo
HN 2083

CRVENA ■
SREBRNA ■
PLAVA ■
PINK ■
ZELENA ■
CRNA ■
230v E/27 max 40w,
metal sa sijalicom



Stona lampo
HN 2094

CRNA ■
SREBRNA ■
230v E/27 11w,
plastika,



Stona lampo
HN 1038

ŽUTA ■
CRVENA ■
PLAVA ■
230v E/27 max 11w,
metal/plastika



Stona lampo
HN 2009

PLAVA ■ CRVENA ■
ZELENA ■ NARANDŽASTA ■
230v E/27 max 11w, plastika, sa prekidačem



Stona lampo
HN 2132

METALIC SREBRNA ■
METALIC SV. PLAVA ■
METALIC PINK ■
MAT CRNA ■
METALIC ZELENA ■
230v E/14 max 40w,
metal/plastika, sa satom



Stona lampo
HN 2043

CRVENA ■
CRNA ■
BELA □
230v E/27 max 40w,
metal sa sijalicom



Stona lampo
HN 2041

CRVENA ■
SREBRNA ■
PLAVA ■
PINK ■
CRNA ■
230v E/27 max 40w,
metal sa sijalicom

02

02

**Podna lampo
HN 3029**
230v 5xE/27 40w,
metal/mermer

**Podna lampo
HN 3022**

■ CRNA
□ BELA
230v E/27 max 40w,
metal/platno

**Podna lampo
HN 3032**
230v E/27 40w,
teleskop 1,8m
abažur/saten hrom
postolje od crnog
kamen

**Podna lampo
HN 3021**
■ CRNA
□ BELA
230v R7S 300w,
metal

**Sobna lampo
HN 3026**
□ BELA
230v E/27 max 40w,
metal/platno/drvo

**Podna lampo
HN 3031**
■ SAT NIKL
■ HROM
■ STARO ZLATO
230v E/27 max 40w,
metal

**Podna lampo
HN 3033**
230v 5xE/27 40w,
metal/mermer



**Stona lampa
HN 2129**
■ ROZA ■ ZELENA
■ ŽUTA ■ PLAVA
□ BELA
230v E/27 max 40w,
staklo

**Stona lampa
HN 2099**
■ ROZA ■ ZELENA
■ ŽUTA ■ PLAVA
□ BELA
230v E/27 max 40w,
staklo



**Podna lampa
HN 3007**
■ CRNA
230v E/27 max 40w,
metal, sa sijalicom



**Podna lampa
HN 3012**
■ CRNA
230v E/27 max 40w,
meta



**Stona lampa
HN 2074**
SV. PLAVA ■
ZELENA ■
NARANDŽASTA ■
230v E/27 max 11w,
metal/platno



**Stona lampa
HN 2052**
■ SAT NIKL ■ HROM
■ STARO ZLATO
230v E/14 max 40w,
metal



**Stona lampa
HN 2053**
■ SAT NIKL ■ HROM
■ STARO ZLATO
230v E/27 max 40w,
metal, sa sijalicom



**Stona lampa
HN 2112**
■ SAT NIKL ■ HROM
230v E/27 max 40w,
metal, sa sijalicom



**Stona lampa
HN 2050**
■ SAT NIKL ■ HROM
230v E/27 max 40w,
metal, sa sijalicom



**Stona lampa
HN 2082**
■ SAT NIKL ■ HROM
■ STARO ZLATO
230v E/27 max 40w,
metal/staklo

02



Sobna lampa
HN 2122
■ CRNA
230v E/27 max 40w,
metal/platno



Sobna lampa
HN 2070
□ BELA
230v E/27 max 40w,
metal/platno/drvo



Sobna lampa
HN 2121
■ SIVA
230v E/27 40w,
metal/platno




Stona lampa
HN 2073
■ CRNA □ BELA
■ KREM
230v E/27 max 40w,
metal/platno



Stona lampa
Tico 30
■ ZELENA
■ PLAVA
230v E/14 max 40w,
staklo



Podna lampa
Perla 10
□ BELA
230v E/14 max 40w,
metal, sa sijalicom



Stona lampa
HN 2087
230v E/27 max 40w,
metal staklo sa
poteznim prekidačem



Stona lampa
HR 060
■ ZELENA
■ PLAVA
230v E/27 max 60w,
metal staklo sa
poteznim prekidačem



Stona lampa
B 295
230v E/27 max 60w,
metal staklo sa
poteznim prekidačem



Stona lampa
HN 2071
■ CRNA □ BELA
■ KREM
230v E/27 max 40w,
metal/platno



Sobna lampa
HN 2080
ZELENA METALIK ■
SV. PLAVA METALIK ■
230v E/27 max 40w,
metal, plastika

02



Dekorativna rasveta 03

spotovi | visilice | lusteri | zidne lampe

03



Spotovi



Belinda

Model	Specifikacija	Boja
Belinda 11	1 x 40 w max G/9	saten/hrom
Belinda 14	4 x 40 w max G/9	saten/hrom
Belinda 24	4 x 40 w max G/9	saten/hrom

03

Model	Specifikacija	Boja
Salina 11	1 x 40 w max G/9	st.zlato/saten/hrom
Salina 12	2 x 40 w max G/9	st.zlato/saten/hrom
Salina 23	3 x 40 w max G/9	st.zlato/saten/hrom
Salina 14	4 x 40 w max G/9	st.zlato/saten/hrom

Salina



Portia

Model	Specifikacija	Boja
Portia 11	1 x 50 w max GU/10	st.zlato/saten/hrom
Portia 14	4 x 50 w max GU/10	st.zlato/saten/hrom
Portia 22	2 x 50 w max GU/10	st.zlato/saten/hrom
Portia 23	3 x 50 w max GU/10	st.zlato/saten/hrom

Tech

Model	Specifikacija	Boja
Tech 11	1 x 50 w max GU/10	saten/hrom
Tech 13	3 x 50 w max GU/10	saten/hrom
Tech 23	3 x 50 w max GU/10	saten/hrom





Bianca

Model	Specifikacija	Boja
Bianca 11	1 x 40 w max G/9	saten/hrom
Bianca 13	3 x 40 w max G/9	saten/hrom
Bianca 14	4 x 40 w max G/9	saten/hrom
Bianca 32	2 x 40 w max G/9	saten/hrom
Bianca 33	3 x 40 w max G/9	saten/hrom
Bianca 34	4 x 40 w max G/9	saten/hrom
Bianca 34a	4 x 40 w max G/9	saten/hrom



Mist

Model	Specifikacija	Boja
Mist 11	1 x 40 w max G/9	st.zlato/saten/hrom
Mist 32	2 x 40 w max G/9	st.zlato/saten/hrom
Mist 33	3 x 40 w max G/9	st.zlato/saten/hrom
Mist 34	4 x 40 w max G/9	st.zlato/saten/hrom



Cordia

Model	Specifikacija	Boja
Cordia 12	2 x 40 w max G/9	st.zlato/saten/hrom
Cordia 13	3 x 40 w max G/9	st.zlato/saten/hrom
Cordia 14	4 x 40 w max G/9	st.zlato/saten/hrom
Cordia 22	2 x 40 w max G/9	st.zlato/saten/hrom
Cordia 23	3 x 40 w max G/9	st.zlato/saten/hrom
Cordia 24	4 x 40 w max G/9	st.zlato/saten/hrom



Exia

Model	Specifikacija	Boja
Exia 13	3 x 50 w max GU/10	hrom
Exia 22	2 x 50 w max GU/10	hrom
Exia 24	4 x 50 w max GU/10	hrom



Tech

Model	Specifikacija	Boja
Tech 22	2 x 50 w max GU/10	saten/hrom
Tech 23	3 x 50 w max GU/10	saten/hrom
Tech 24	4 x 50 w max GU/10	saten/hrom



Rina

Model	Specifikacija	Boja
Rina 33G	3 x 50 w max GU/10	saten/hrom

Rina

Model	Specifikacija	Boja
Rina 13	3 x 50 w max GU/10	saten/hrom

Rina

Model	Specifikacija	Boja
Rina 46	6 x 50 w max GU/10	saten/hrom

03 Visilice



XF-8

Specifikacija	Boja
E-27 max 60w	srebro



XF-9

Specifikacija	Boja
E-27 max 60w	srebro



XF-12a

Specifikacija	Boja
E-27 max 60w	srebro



XF-12b

Specifikacija	Boja
E-27 max 60w	srebro



XF-14a

Specifikacija	Boja
E-27 max 60w	srebro



XF-15

Specifikacija	Boja
E-27 max 60w	srebro

03

03



XF-20

Specifikacija	Boja
E-27 max 60w	srebro



XF-20a

Specifikacija	Boja
E-27 max 60w	srebro



XF-22

Specifikacija	Boja
E-27 max 60w	srebro



XF-21

Specifikacija	Boja
E-27 max 60w	srebro



XF-41

Specifikacija	Boja
E-27 max 60w	srebro



XF-48

Specifikacija	Boja
E-27 max 60w	srebro

03



XF-24

Specifikacija	Boja
E-27 max 60w	srebro



XF-26a

Specifikacija	Boja
E-27 max 60w	srebro



XF-28

Specifikacija	Boja
E-27 max 60w	srebro



Verano 24

Specifikacija	Boja
E-27 max 60w	srebro



Verano 30


Specifikacija	Boja
E-27 max 60w	srebro



Verano 38

Specifikacija	Boja
E-27 max 60w	srebro

**Sobna visilica
HN 8004**
■ SAT NIKL
230v E/27 max 40w,
metal/staklo



**Sobna visilica
HN 8015**

■ CRNA □ BELA
■ KREM

230v E/27 max 40w,
metal/plastika
resbrasto platno



**Sobna visilica
HN 8012**

■ PLAVA
■ ROZA

230v E/27 max 40w,
plastika



**Sobna visilica
HN 8003**

■ SAT NIKL
230v E/27 max 40w,
metal/staklo



**Sobna visilica
HN 8007**

□ BELA
230v E/27 max
40w,
metal/staklo



**Sobna visilica
HN 8013**

■ KREM
□ BELA
■ CRNA

230v E/27 max 40w,
metal/plastika
ravno platno



**Sobna visilica
HN 8002**

■ CRNA

230v E/14 max 40w,
metal/staklo sa
sijalicom



**Luster
TIVOLI**

230v E/27 x 3,
max 40w



**Luster
REMINI**

230v E/27 x 2, max 40w



**Sobna visilica
EQUA 11/12/13**

230v E/14 x 1, max 40w
230v E/14 x 2, max 40w
230v E/14 x 3, max 40w




**Sobna visilica
LIRA 11/12/13**

230v E/14 x 1, max 40w
230v E/14 x 2, max 40w
230v E/14 x 3, max 40w



03



03



Zidne lampe





Contur

Model	Specifikacija	Boja
Contur 12	2 x G9 max 40w	srebro
Contur 13	3 x G9 max 40w	srebro
Contur 22	2 x G9 max 40w	srebro
Contur 23	3 x G9 max 40w	srebro




Alya 10

Specifikacija	Boja
1 x max 35w G-9	srebro



Aves 100

Specifikacija	Boja
R7S j-78 150w	srebro



K 40

Specifikacija	Boja
mr-16,12v max 20w	srebro



YASO 10a

Specifikacija	Boja
1 x max 50w G9	srebro



YASO 10b

Specifikacija	Boja
1 x max 50w G9	srebro



YASO 10c

Specifikacija	Boja
1 x max 50w G9	srebro



KS-9

Specifikacija	Boja
e-27 max 60w	srebro



Pix 100

Specifikacija	Boja
PLC 26w 2pin	srebro



Sevo 100

Specifikacija	Boja
R7S j-118 200w	srebro



Palia 10/20

Specifikacija	Boja
R7s max 100w J-78	srebro



Tiga 435

Specifikacija	Boja
4 x max 35w G-9	srebro



Avan G-22

Specifikacija	Boja
2 x max 50w G-9	srebro



Fluo rasveta 04

rasteri | armature | panik lampe | baterijske lampe





OPTIMA 303V, 3X36W NADGRADNA BRILIGHT,
dimenzija 1220 x 595 x 85mm

OPTIMA 404V, 4X36W NADGRADNA BRILIGHT,
dimenzija 1220 x 595 x 85mm



OPTIMA 302V, 2X36W
NADGRADNA BRILIGHT,
dimenzija 1220 x 295 x 85mm



OPTIMA 104V, 4X18W UGRADNA BRILIGHT,
dimenzija 620 x 595 x 88mm



OPTIMA 204V, 4X18W NADGRADNA BRILIGHT,
dimenzija 605 x 605 x 80mm

OPELLA 414,
dimenzija 625 x 595 x 50mm




ORVENA 236N, 2X36W OPAL
NADGRADNA BRILIGHT,
dimenzija 1220 x 295 x 85mm



ORVENA 418N, 4X18W OPAL NADGRADNA BRILIGHT,
dimenzija 595 x 610 x 85mm



ORVENA, 4x18W, dimenzija 625 x 595 x 82mm



MARENA 136M/N, dimenzija 1270mm x 100mm x 110mm
MARENA 218M/N, dimenzija 660mm x 150mm x 110mm
MARENA 236M/N, dimenzija 1270mm x 150mm x 110mm




ARMATURA F-118, 1X18W BRILIGHT, dimenzija 625mm x 53mm x 72mm
ARMATURA F-218, 2X18W BRILIGHT, dimenzija 625mm x 88mm x 72mm
ARMATURA F-136, 2X36W BRILIGHT, dimenzija 1235mm x 53mm x 72mm
ARMATURA F-236, 2X36W BRILIGHT, dimenzija 1235 x 100mm x 43mm

04



Vodootporna arm. DUST 136TM,
dimenzija 1277mm x 90mm x 95mm




ARMATURA F-118B, 1X18W BRILIGHT, dimenzija 625mm x 122mm x 83mm
ARMATURA F-218B, 2X18W BRILIGHT, dimenzija 625mm x 165mm x 83mm
ARMATURA F-136B, 1X36W BRILIGHT, dimenzija 1235mm x 122mm x 83mm
ARMATURA F-236B, 2X36W BRILIGHT, dimenzija 620 x 50mm x 37mm

04



Fluo lampa HERMETIC 236M,
2x36W/IP65/T8/G13/PC ELGO, dimenzija 1287 x 140 x 94mm
Fluo svetiljka HERMETIC 258M,
2x58W/IP65/T8/G13/PC ELGO, dimenzija 1587 x 140 x 94mm



Fluo lampa PILO 100, 2x18W/IP20/T8/G13 BRILUM,
boja bela i siva, dimenzija 620 x 166 x 53mm
Fluo lampa PILO 200, 2x36W/IP20/T8/G13 BRILUM,
boja bela i siva, dimenzija 1230 x 166 x 53mm



Fluo arm. RIGA OSFa-236 senilo,
2x36W/IP20/T8/G13 ELGO,
dimenzija 1232mm x 166mm x 80mm



Fluo lampa PILO 100G, 2x18W/IP20/T8/G13
BRILUM, boja bela i siva, dimenzija 620 x 166 x 53mm
Fluo lampa PILO 200G, 2x36W/IP20/T8/G13
BRILUM, boja bela i siva, dimenzija 1230 x 166 x 53mm



Svetiljka MITA 10, 8W T5 BRILIGHT, dimenzija 310 x 22 x 35mm
 Svetiljka MITA 20, 14W T5 BRILIGHT, dimenzija 570 x 22 x 35mm
 Svetiljka MITA 30, 21W T5 BRILIGHT, dimenzija 870 x 22 x 35mm
 Svetiljka MITA 40, 28W T5 BRILIGHT, dimenzija 1170 x 22 x 35mm



Arm. strela WERA 8, 8W/IP20/T5/G5/6400K, dimenzija 343 x 22 x 42mm
 Arm. strela WERA 21, 21W/IP20/T5/G5/6400K, dimenzija 573 x 22 x 42mm
 Arm. strela WERA 28, 28W/IP20/T5/G5/4000K BRILUM, dimenzija 1200 x 22 x 42mm



APERA, 8W, dimenzija
 450mm x 45mm




APERA, 18W/IP20/T8 6400k,
 dimenzija 664mm



SVETILJKA ANA, 10 BRILIGHT, 2x28W
 dimenzija 1250mm x 250mm x 50mm



Arm. strela ESTILA 18, 18W/IP20/T8/G13/6400K, dimenzija 670 x 62 x 35mm
 Arm. strela ESTILA 30, 30W/IP20/T8/G13/6400K, dimenzija 865 x 62 x 35mm
 Arm. strela ESTILA 36, 36W/IP20/T8/G13/6400K, dimenzija 1280 x 62 x 35mm



Arm. strela Ariba 8 silver, 8W/IP20/T5/G5/6400k BRILIGHT, dimenzija 357 x 84 x 28mm
 Arm. strela Ariba 13 silver, 13W/IP20/T5/G5/6400k BRILIGHT, dimenzija 580 x 84 x 28mm
 Arm. strela Ariba 21 silver, 21W/IP20/T5/G5/6400k BRILIGHT, dimenzija 909 x 84 x 28mm
 Arm. strela Ariba W21 silver, 21W/IP20/T5/G5/6400k BRILIGHT, direktni kontakt,
 dimenzija 909 x 84 x 28mm



ARIBA LED 90x0,06 silver, 6400k,
 dimenzija 580mm x 84mm x 4mm



REGA 8W, IP20/T5/G13/6400K bela, dimenzija 454 x 85 x 65mm
 REGA 21W, IP20/T5/ 6400 bela, dimenzija 1015 x 85 x 65mm




ANTAR 18Ww, IP20/T5/6400K
 BELA, dimenzija 655 x 76 x 54mm


04

04



DALIA, T8/1x36w electronic
dimenzija 1530mm



ERGEN T8/2x36w electronic
dimenzija 1530mm



CAVO 121 T5/1x21w electronic



RALO 228 T5/2x28w electronic



JAVA 121 T5/1x21w electronic



EXIT LED
led 0,6W, dimenzije: 364x28x165mm, boja bela
materijal plastika/staklo IP20, 3.6v, 300mAh,
220-240, 50/60hz



ERGO 18 LED
18 dioda 1.8w, dimenzije: 325x75x50mm, boja bela
materijal plastika/plastični difuzor IP20, 2x4V 900mAh,
220-240 50/60hz, autonomija 5h



ERGO 24 LED
24 diode 2.4w, dimenzije: 245x75x50mm, boja bela
materijal plastika/plastični difuzor IP20, 2x4V 900mAh,
220-240 50/60hz, autonomija 4h



ERGO 35 LED
35 dioda 3.5w, dimenzije: 290x82x80mm, boja bela
materijal plastika/plastični difuzor IP20, 6v 2.8ah ,
220-240 50/60hz, autonomija 15h



ERGO 208
2x8w t5, dimenzije: 342x72x72mm, boja bela
materijal plastika/plastični difuzor IP20, 6V 4Ah,
220-240 50/60hz, autonomija 3-6h

MOSKIT 20
Lampa za komarce
220V



Lampe za komarce i baterijske lampe

BATA 7
4V 400mha punjiva baterijal
7 dioda 1W Hi power Led
Trajanje: 7 dioda:3sata




BATA 12
4V2Ah punjiva baterija
12 dioda bright LED Torch
Trajanje:
4 diode:24sata 12 dioda:8 sati




05 Ugradna i nadgradna rasveta

rozetne | led rozetne | led paneli | šinski razvod


Rozetne 05






Rozetna
DL-4 MR 16, 12V, aluminium

Snaga(W)	Boje
max 50	bela, hrom, saten-hrom




Rozetna
DL-5 MR 16, 12V, aluminium

Snaga(W)	Boje
max 50	zlatna, hrom, saten-hrom




Rozetna
DL-6 MR 16, 12V, aluminium

Snaga(W)	Boje
max 50	zlatna, saten-hrom



Rozetna
DL-6s MR 16, 12V, aluminium

Snaga(W)	Boje
max 50	zlatna




Rozetna
DL-72 GU10, 220V, aluminium

Snaga(W)	Boje
max 50	saten-hrom


Rozetna
DL-70(reno) GU 10, 220V, aluminium

Snaga(W)	Boje
max 50	saten-hrom




Rozetna
101 MR 16, 12V, aluminium

Snaga(W)	Boje
max 50	bela




Rozetna
DL46s MR16, 12V, aluminium

Snaga(W)	Boje
max 50	silver, saten-hrom




Rozetna
Alpe-16 MR 16, 12V, aluminium


Snaga(W)	Boje
max 50	bela, hrom, saten-hrom



Rozetna
Alpe-36 MR 16, 12V, aluminium


Snaga(W)	Boje
max 50	saten-hrom






Rozetna
R50s E14, 220V, aluminium

Snaga/(W)	Boje
max 40	zlatna



Rozetna
R50r E14, 220V, aluminium

Snaga/(W)	Boje
max 40	hrom



Rozetna
M30 JC/ G4, 12V, aluminium


Snaga/(W)	Boje
max 20	hrom



Dimenzije
fi30mm x 29mm, otvor fi26mm

Rozetna
M30 led, aluminium

Snaga/(W)	Boje
1	saten-hrom



Rozetna
M 20 JC/G4, 12V, aluminium


Snaga/(W)	Boje
	zlatna

Rozetna
M 20 led, aluminium


Snaga/(W)	Boje
1/ 18 led	saten-hrom

Rozetna
M25 JC/G4, 12V, aluminium

Snaga/(W)	Boje
20	hrom



Dimenzije
fi70mm x 23mm, otvor fi60mm




Rozetna
M100 JC/G4, 12V, aluminium

Snaga/(W)	Boje
max 20	hrom


Rozetna
L 400 JC/GU5, 12V, aluminium

Snaga/(W)	Boje
max 50	hrom



Rozetna
Bella JC/GU5, 12V, aluminium


Snaga/(W)	Boje
max 35	hrom






Rozetna
Fibro 10 JC/GU6, 12V, aluminium

Snaga/(W)	Boje
max 50	hrom, saten-hrom




Rozetna
Fibro 16 MR-16, 12V, aluminium

Snaga/(W)	Boje
max 50	hrom




Rozetna
8400 MR-16, 12V, aluminium

Snaga/(W)	Boje
max 50	bela, hrom




Komplet - rozetne,kablovi,trafo bez sijalica
4905-3 3 x MR-16 50 W, 12V, aluminium
4905-5 5 x MR-16 50 W, 12V, aluminium




Rozetna
M 60A JC/G4, 12V, aluminium

Snaga(W)	Boje
max 20	staro zlato, hrom, zlatna




Rozetna
M 60B JC/G4, 12V, aluminium

Snaga(W)	Boje
max 20	hrom




Rozetna
DL-20s MR 16, 12V, aluminium

Snaga(W)	Boje
max 50	saten-hrom




Rozetna
L-200 MR16, 12V, aluminium

Snaga(W)	Boje
max 50	saten-hrom




Rozetna
Candia 10 A, JC/GY 6.35
12V, aluminium

Snaga(W)	Boje
max 50	staro zlato, hrom, zlatna




Rozetna
Candia 10 B, JC/GY 6.35
12V, aluminium

Snaga(W)	Boje
max 50	staro zlato, hrom, zlatna



Rozetna
Candia 10 C, JC/GY 6.35
12V, aluminium

Snaga(W)	Boje
max 50	staro zlato, hrom, zlatna



Rozetna
Lan 11A JC/G4, 12V, aluminium

Snaga(W)	Boje
20	hrom rozi, hrom plavi

05 Led rozetne



Led rozetna 24-28v
BL 133, aluminium

Snaga/(W)	Lumen(lm/w)	Br. led	CCT	Dimenzije(mm)
1	90	1	6500	F68mm x 28mm, otvor 44mm



Led rozetna 24-28v
BL 135, aluminium

Snaga/(W)	Lumen(lm/w)	Br. led	CCT	Dimenzije(mm)
3	270	3	6500	F87mm x 44mm, otvor 63mm



Led rozetna 24-28v
BL 136, aluminium

Snaga/(W)	Lumen(lm/w)	Br. led	CCT	Dimenzije(mm)
7	630	7	4000	F111mm x 71mm, otvor 87mm



Led rozetna 24-28v
BL 139, aluminium

Snaga/(W)	Lumen(lm/w)	Br. led	CCT	Dimenzije(mm)
9	810	9	6500	F137mm x 73mm, otvor 101mm

Led paneli



Led panel
L-PT-SS30
85-265V, 50-60Hz, RA 80Cr, radni vek 50.000h, aluminium

Tip	Snaga(W)	Lumen(lm/w)	Dimenzija(mm)
L-PT-SS30-CC36	36	2800	300 x 600 x 11
L-PT-SS30-CC36	36	2800	600 x 600 x 11
L-PT-SS30-CC48	48	3800	600 x 600 x 11
L-PT-SS30-CC54	54	4300	600 x 600 x 11
L-PT-SS30-CC36	36	2800	1200 x 300 x 11
L-PT-SS30-CC48	48	3800	1200 x 300 x 11
L-PT-SS30-CC54	54	4300	1200 x 300 x 11
L-PT-SS30-CC54	54	4300	1200 x 600 x 11
L-PT-SS30-CC72	72	5700	1200 x 600 x 11
L-PT-SS30-CC95	95	7000	1200 x 600 x 11



LEDA
85-265V, polikarbonat difuzor - aluminium, aluminijumski hladnjak, led dioda SMD

Model	Snaga/(W)	Lumen(lm/w)	Kelvin	Dimenzija(mm)	Ugao svetlosti
LEDA 10	15	1050	2700-6500	prečnik 200, otvor 185, visina 11	120°
LEDA 20	21	1470	2700-6500	prečnik 300, otvor 280, visina 11	120°



LEDO
85-265V, polikarbonat difuzor - aluminium, aluminijumski hladnjak, led dioda SMD

Model	Snaga/(W)	Lumen(lm/w)	Kelvin	Dimenzija(mm)	Ugao svetlosti
LEDO 10	15	1050	2700-6500	200 x 200, otvor 180 x 180, visina 11	120°
LEDO 20	21	1470	2700-6500	300 x 300, otvor 280 x 280, visina 11	120°



Unutrašnja svetiljka
Paseo 100, 12V, aluminium

Specifikacija	Boje
AR-111, max 50w	siva



Unutrašnja svetiljka
Paseo 200, 12V, aluminium

Specifikacija	Boje
2x AR-111, max 50w	siva



Unutrašnja svetiljka
Pireo 100, 12V, aluminium

Specifikacija	Boje
AR-111, max 50w	siva




Unutrašnja svetiljka
Pireo 200, 12V, aluminium

Specifikacija	Boje
2x AR-111, max 50w	siva


Unutrašnja svetiljka
Paseo 300, 12V, aluminium

Specifikacija	Boje
3x AR-111, max 50w	siva




Unutrašnja svetiljka
Pireo 300, 12V, aluminium

Specifikacija	Boje
3x AR-111, max 50w	siva




Unutrašnja svetiljka
Paseo 410, 12V, aluminium

Specifikacija	Boje
4xAR-111, max 50w	siva




Unutrašnja svetiljka
Pireo 410, 12V, aluminium

Specifikacija	Boje
4xAR-111, max 50w	siva




Unutrašnja svetiljka
Paseo 400, 12V, aluminium

Specifikacija	Boje
4xAR-111, max 50w	siva



Unutrašnja svetiljka
Pireo 400, 12V, aluminium

Specifikacija	Boje
4xAR-111, max 50w	siva





Unutrašnja svetiljka
Tongo 100, 220V, aluminium

Specifikacija	Boje
1x max 50w, Gu-10	siva



Unutrašnja svetiljka
Tongo 200, 220V, aluminium

Specifikacija	Boje
2x max 50w, Gu-10	siva




Unutrašnja svetiljka
Lavio S-1, 220V, aluminium

Specifikacija	Boje
1 x G12 MH-12 150 w max	siva


Unutrašnja svetiljka
Tongo 300, 220V, aluminium

Specifikacija	Boje
3x max 50w, Gu-10	siva



Unutrašnja svetiljka
Lavio S-2, 220V, aluminium

Specifikacija	Boje
2 x G12 MH-12 150 w max	siva




Unutrašnja svetiljka
Tongo 400, 220V, aluminium

Specifikacija	Boje
4x max 50w, Gu-10	siva


Unutrašnja svetiljka
Lavio S-3, 220V, aluminium

Specifikacija	Boje
3 x G12 MH-12 150 w max	siva




Unutrašnja svetiljka
Tongo 400 A, 220V, aluminium

Specifikacija	Boje
4x max 50w, Gu-10	siva



Unutrašnja svetiljka
Lavio S-4, 220V, aluminium

Specifikacija	Boje
4 x G12 MH-12 150 w max	siva



rozetne | led rozetne | led paneli | šinski razvod





Unutrašnja svetiljka
Lavado 400, 220V, aluminium

Specifikacija	Boje
4 x max 50w, Ar111 sa trafoom	siva



Unutrašnja svetiljka
Lavado 400H, 220V, aluminium

Specifikacija	Boje
4 x max 50w, Ar111 sa trafoom	siva



Unutrašnja svetiljka
8016, 220V, aluminium

Specifikacija	Boje
2x max 18w, plc 2pin	bela
2x max 26w, plc 2pin	bela




Unutrašnja svetiljka
8018 E, 220V, aluminium

Specifikacija	Boje
2x e-27, max 26w	bela/saten hrom

Unutrašnja svetiljka
Lavado 410, 220V, aluminium

Specifikacija	Boje
4 x max 50w, Ar111 sa trafoom	siva




Unutrašnja svetiljka
8018 X, 220V, aluminium

Specifikacija	Boje
Mh-7 150w, Rx7s	bela/saten hrom



Unutrašnja svetiljka
8018 P, 220V, aluminium

Specifikacija	Boje
2x max 26w, plc 2pin	bela



Unutrašnja svetiljka
Lavado 410H, 220V, aluminium

Specifikacija	Boje
4 x max 50w, Ar111 sa trafoom	siva



Unutrašnja svetiljka
8018 PM, 220V, aluminium

Specifikacija	Boje
2x max 18w, plc 2pin	bela
2x max 26w, plc 2pin	bela



Unutrašnja svetiljka
8226 G, 220V, aluminium

Specifikacija	Boje
2x max 26w, plc 2pin	bela



Unutrašnja svetiljka
8032 A, 220V, aluminium

Specifikacija	Boje
2x max 18w, plc 2pin	bela



Unutrašnja svetiljka
QUAD, 220V, aluminium

Specifikacija	Boje
2x max 26w plc 2pin	hrom/saten hrom



Unutrašnja svetiljka
QUAD E, 220V, aluminium

Specifikacija	Boje
2 x E-27	saten hrom



Unutrašnja svetiljka
7000 A, 220V, aluminium

Specifikacija	Boje
2x max 26w, plc 2pin	bela



Unutrašnja svetiljka
H 6000, 220V, aluminium

Specifikacija	Boje
2 x E-27	bela



Unutrašnja svetiljka
R 4000, 220V, aluminium

Specifikacija	Boje
E-27 max 60W	bela/saten hrom



Unutrašnja svetiljka
R 6000, 220V, aluminium

Specifikacija	Boje
E-27, max 60W	saten hrom



Unutrašnja svetiljka
H-8000S, 220V, aluminium

Specifikacija	Boje
2 x E-27	bela/saten hrom



Unutrašnja svetiljka
H-7000G, 220V, aluminium

Specifikacija	Boje
2 x E-27	bela



Unutrašnja svetiljka
R 800NG, 220V, aluminium

Specifikacija	Boje
E-27, max 60W	siva



Unutrašnja svetiljka
R 700NG, 220V, aluminium

Specifikacija	Boje
E-27 max 60W	siva

Nadgradna rasveta



Unutrašnja svetiljka
Erma 100, 220V, aluminium

Specifikacija	Boje
2 x E-27	bela/saten hrom



Unutrašnja svetiljka
Erma 200, 220V, aluminium

Specifikacija	Boje
2 x E-27	bela/saten hrom



Unutrašnja svetiljka
Echo 218, 220V, aluminium

Specifikacija	Boje
2 x 18 plc	siva/bela



Unutrašnja svetiljka
Ritmo 60, 220V, aluminium

Specifikacija	Boje
E-27, max 60W	siva



Unutrašnja svetiljka
R 3500T, 220V, aluminium

Specifikacija	Boje
E-27 max 60W	bela/saten hrom



Unutrašnja svetiljka
R 6000T, 220V, aluminium

Specifikacija	Boje
E-27 max 60W	bela/siva



Šinski razvod 05


Šinska rasveta



Pribor za šine - Scena



Scena TS | Aluminijum
1. TS-1m
2. TS-2m



Scena WIS | PVC



Scena WH | Aluminijum



Scena WI | Aluminijum



Scena WT | Aluminijum



Scena WE | Aluminijum



Scena WL | Aluminijum



Pribor za šine - Estra



Estra TS | Aluminijum
1. TS-1m
2. TS-2m



Estra WT | Aluminijum



Estra WE | Aluminijum



Estra WL | Aluminijum



Estra WI | Aluminijum



Estra WH | Aluminijum



Led reflektori

06



Led reflektor sa senzorom
BL-10W/S, 85-265V, ugao svetlosti 120°, aluminijum/staklo, boja siva

Snaga/(W)	Lumen(lm/w)	Životni vek	CCT	Dimenzija(mm)
10	1000	50000 hrs	3000-6500	L115xW85xH85



Led reflektor sa senzorom
BL-20W/S

85-265V, ugao svetlosti 120°, aluminijum/staklo, boja siva

Snaga/(W)	Lumen(lm/w)	Životni vek	CCT	Dimenzija(mm)
20	1800	50000 hrs	3000-6500	L180xW140xH118



Led reflektori

Led reflektor
BL-10W

85-265V, ugao svetlosti 120°, aluminium/staklo, boja siva

Snaga/(W)	Lumen(lm/w)	Životni vek	CCT	Dimenzija(mm)
10	1000	50000 hrs	6500	L115xW85xH85



Led reflektor

BL-20W / 30W / 50W, 85-265V, ugao svetlosti 120°, aluminium/staklo, boja siva

Snaga/(W)	Lumen(lm/w)	Životni vek	CCT	Dimenzija(mm)
20	1800	50000 hrs	6500	L180xW140xH118
30	2700	50000 hrs	6500	L225xW185xH155
50	4500	50000 hrs	6500	L287xW236xH160



Led reflektor
BL-70W / 100W

85-265V, ugao svetlosti 120°, aluminium/staklo, boja siva

Snaga/(W)	Lumen(lm/w)	Životni vek	CCT	Dimenzija(mm)
70	6300	50000 hrs	3000-6500	L356xW285xH185
100	9000	50000 hrs	3000-6500	L360xW290xH185



Led reflektor
BL-10W RGB LED

napon 85-265V, 50/60Hz, snaga 10W, radni napon LED sijalice 30-36V, boja svetlosti RGB, IP zaštita IP65, radna temperatura -44 do 50°C, materijal aluminium/staklo, boja siva, životni vek 50.000h.



Led reflektor
BL-20W RGB LED


napon 85-265V, 50/60Hz, snaga 20W, radni napon LED sijalice 30-36V, boja svetlosti RGB, IP zaštita IP65, radna temperatura -44 do 50°C, materijal aluminium/staklo, boja siva, životni vek 50.000h.



Metal halogeni i halogeni reflektori


ALUM

Model	Specifikacija	Boja
Alum 150	rx7s 150w MH-7	crna
Alum 250	rx7s 250w MH-7	crna
Alum 400	rx7s 400 MH-7	crna




ML

Model	Specifikacija	Boja
ML-70	rx7s 70w MH-7	crna/bela
ML-150	rx7s 150w MH-7	crna/bela
ML-170	rx7s 250w MH-7	crna/bela
ML-400	rx7s 400 MH-7	crna/bela



OMH

Model	Specifikacija	Boja
OMH 70/150	rx7s 70w/150w MH-7	hrom
OMH 250/400	e-40 250w/400w MH-40	saten/hrom





B 5

Model	Specifikacija	Boja
B-5	r7s max 150w J-78	crna/bela



B 7

Model	Specifikacija	Boja
B-7	r7s max 500w J-118	crna/bela



B 5 Sl

Model	Specifikacija	Boja
B-5sl	r7s max 150w J-78	crna/bela



B 7 Sl

Model	Specifikacija	Boja
B-7sl	r7s max 500w J-118	crna/bela



B 10

Model	Specifikacija	Boja
B-10	r7s max 1000w J-189	crna



B 15

Model	Specifikacija	Boja
B-15	r7s max 1500w j-254	crna

Metal halogena zvona



HQ 400 PC
metal halogen, dimenzije fi 570 x 720
materijal aluminijum



HQ 250 PC
metal halogen, dimenzije fi 410x 640
materijal aluminijum



HQ 400 PA
metal halogen, dimenzije fi 530 x 590
materijal aluminijum



HQ 250 PA
metal halogen, dimenzije fi 480 x 590
materijal aluminijum



Spoljna rasveta 07

fenjeri | steloj | spoljna rasveta





GRESO 204
E 27, boja bela, siva i crna,
dimenzije 267x132,
materijal aluminijum/staklo IP54



GRESO 205
E 27, boja bela, siva i crna,
dimenzije 267x132,
materijal aluminijum/staklo IP54



GRESO 206
E 27, boja bela, siva i crna,
dimenzije 267x132,
materijal aluminijum/staklo IP54



136
E 27, dimenzije 265x130x115,
boja bela i crna,
materijal aluminijum/staklo IP54



138
E 27, dimenzije 264x128x118,
boja bela i crna,
materijal aluminijum/staklo IP54



Batto
E 27, dimenzija 225x180x150,
boja siva i crna,
materijal aluminijum/staklo IP54



GRESO 207
E 27, boja bela, siva i crna,
dimenzije 267x132,
materijal aluminijum/staklo IP54



130
E 27, dimenzije 219x154x125,
boja bela i crna,
materijal aluminijum/staklo IP54



ETTO 160
E 27, dimenzije 178x205x145, boja bela, crna
i siva, materijal aluminijum/staklo IP54



GRAN 10
Gu 10, prečnik 100mm, visina 135mm, boja
prstena saten/hrom, boja tela siva
materijal aluminijum/staklo IP67



GRAN 16
MR 13, prečnik 89mm, visina 140mm,
boja prstena saten/hrom, boja tela crna,
materijal aluminijum/staklo IP67



GRAN 26
MR 13, prečnik 89mm, visina 110mm,
boja prstena saten/hrom, boja tela siva,
materijal aluminijum/staklo IP67



232
E 27, boja bela i crna,
dimenzije 280x160xH120,
materijal aluminijum/staklo IP54



236
E 27, boja bela i crna,
dimenzije 280*160*H120,
materijal aluminijum/staklo IP54



FIDO
E 27, boja bela i crna,
dimenzije 213*107*H100,
materijal aluminijum/staklo IP54



GRAN 100
RX 7S, prečnik 250mm, visina 292mm,
boja prstena saten/hrom, boja tela crna,
materijal aluminijum/staklo IP67



GRAN 200
J 78, prečnik 174mm, visina 110mm, boja
prstena saten/hrom, boja tela crna,
materijal aluminijum/staklo IP67



W 75
JC lamp G4, prečnik 74, boja crna,
materijal aluminijum/staklo IP68



HELIO 10
led 0,5w, prečnik 77mm, visina 103mm,
boja saten/hrom, boja tela crna
materijal aluminijum/staklo IP67



GL 60A
E 27, dimenzija 233x101xH83,
boja bela, crna i siva
materijal aluminijum/staklo IP54



REGOLA 260
2xE 27, dimenzije 290x175, prečnik 100,
boja siva, materijal aluminijum/staklo IP54



SANTO 140
E 27, prečnik 265mm, visina 110mm, boja crna
i siva materijal aluminijum/staklo IP54



GL 60B
E 27, dimenzija 233x101xH83,
boja bela i crna,
materijal aluminijum/staklo IP54



VARNA
E 27, prečnik 272mm,
visina 95mm, boja bela i siva
materijal polikarbonat



SAN 60
E 27, prečnik 180mm, visina 100mm, boja bela
materijal aluminijum/staklo IP54



SAN 100
E 27, prečnik 245mm, visina 120mm, boja bela
materijal aluminijum/staklo IP54



SVETILJKA AMIGA 30,
FCB22W PVC OPAL BRILIGHT,
dimenzija f275mm x 78mm





SVETILJKA AMIGA 40,
FCS32W PVC/AL-sivi BRILIGHT,
dimenzija f350mm x 90mm



SVETILJKA AMIGA 50,
FCS32W PVC/AL-sivi BRILIGHT,
dimenzija f420mm x 100mm



STELO 38B
E 27, boja saten/hrom bela,
materijal metal/plastika IP44




STELO 38A
E 27, boja saten/hrom bela,
materijal metal/plastika IP44







STELO 40A
E 27, boja saten/hrom bela,
materijal metal/plastika IP44




STELO 40B
E 27, boja saten/hrom bela,
materijal metal/plastika IP44




STELO 45A
E 27, boja saten/hrom bela,
materijal metal/plastika IP44




STELO 45B
E 27, boja saten/hrom bela,
materijal metal/plastika IP44




STELO 110A
E 27, boja saten/hrom bela,
materijal metal/plastika IP44



STELO 110B
E 27, boja saten/hrom bela,
materijal metal/plastika IP44



STELO 65A
E 27, boja saten/hrom bela,
materijal metal/plastika IP44



STELO 65B
E 27, boja saten/hrom bela,
materijal metal/plastika IP44



BL 300 UP
E 27, boja bela i crna, staro zlato
materijal aluminijum/staklo IP43



BL 400 UP
E 27, boja bela i crna, staro zlato
materijal aluminijum/staklo IP43



BL 300 HG
E 27, boja bela i crna, staro zlato
materijal aluminijum/staklo IP43



BL 400 HG
E 27, boja bela i crna, staro zlato
materijal aluminijum/staklo IP43



CHROMO 300HG
E 27, boja bela i crna, staro zlato
materijal aluminijum/staklo IP43



BL 400 DN
E 27, boja bela i crna, staro zlato
materijal aluminijum/staklo IP43



BL 300 DN
E 27, boja bela i crna, staro zlato
materijal aluminijum/staklo IP43




BL 400 P
E 27, boja bela i crna, staro zlato
materijal aluminijum/staklo IP43




BL 300 P
E 27, boja bela i crna, staro zlato
materijal aluminijum/staklo IP43



BL 400 S3
E 27, boja crna, materijal
aluminijum/staklo IP44



BL 400 S1
E 27, boja crna, materijal
aluminijum/staklo IP44



EL 400 S
E 27, boja crna, materijal
aluminijum/staklo IP44



VITRA K
E 27, boja crna,
materijal aluminijum/staklo IP44



GOTA 100, 200, 300, 400
E 27, boja crna,
materijal aluminijum/staklo IP44



VITRA S3
E 27, boja crna,
materijal aluminijum/staklo IP44

LED svetleća creva

radni vek 80.000 - 100.000 radnih sati.

Šifra	Artikal	Kotur/metara	minimalno sečenje	w/metar
970001	LED crevo f-13-2 belo (jedan red dioda)	100	1 m	4,4 w
970002	LED crevo f-13-2 zeleno / 36 dioda / m	100	1 m	4,4 w
970003	LED crevo f-13-2 žuto / 36 dioda / m	100	1 m	4,4 w
970004	LED crevo f-13-2 plavo / 36 dioda / m	100	1 m	4,4 w
970005	LED crevo f-13-2 crveno / 36 dioda / m	100	1 m	4,4 w
970011	LED crevo f-13-3 belo / 36 dioda / m	100	2 m	4,4 w
970012	LED crevo f-13-3 zeleno / 36 dioda / m	100	2 m	4,4 w
970013	LED crevo f-13-3 žuto / 36 dioda / m	100	2 m	4,4 w
970014	LED crevo f-13-3 plavo / 36 dioda / m	100	2 m	4,4 w
970015	LED crevo f-13-3 crveno / 36 dioda / m	100	2 m	4,4 w
970016	LED crevo f-13-3 crveno / belo / 36 dioda / m	100	2 m	4,4 w
970017	LED crevo f-13-3 plavo / crveno / 36 dioda / m	100	2 m	4,4 w
970020	LED crevo 11x18-2 belo / 36dioda / m	100	1 m	4,4 w
970030	LED crevo 11x18-3 plavo / crveno 72 diode / m	100	2 m	8,8 w
970031	LED crevo 11x18-3 crveno / žuto / 72 diode / m	100	2 m	8,8 w
970040	LED crevo 11x22-4 crveno / žuto / plavo / 108 dioda / m	50	2 m	13,2 w



Pribor za LED svetleća creva

Šifra	Artikal	Napomena
970100	Kabal za LED crevo f-13-2	naponski kabal
970101	Kabal za LED crevo 11 x 18-2	naponski kabal
970110	Kontrolor za LED crevo f-13-3	8 funkcija, max 50 metara
970111	Kontrolor za LED crevo 11 x 18-3	8 funkcija, max 50 metara
970112	Kontrolor za LED crevo 11 x 22-4	8 funkcija, max 50 metara
970113	Kontrolor za LED crevo 11 x 18-3 sa memorijom	max 50 metara, memorija
970120	Digitalni kontrolor za LED crevo f-13-3	max 100 metara
970130	Završetak za LED crevo f-13	
970132	Završetak za LED crevo 11 x 18	
970134	Završetak za LED crevo 11 x 22-4	
970140	Obujmica za LED crevo f-13	
970142	Obujmica za LED crevo 11 x 18	
970144	Obujmica za LED crevo 11 x 22-4	
970150	Nastavak za LED crevo f-13-2	
970151	Nastavak za LED crevo f-13-3	
970152	Nastavak za LED crevo 11 x 22-4	

Led traka i Driver-i



LED svetleća traka
radni vek 80.000 - 100.000 radnih sati.

Model	Boja	Napon	w/metar	broj dioda	dimenzija trake	pakovanje	IP zaštita
5050RGB	RGB	DC12v	7,2 w/m	30	5000*10mm	5m/10m/100m	IP 20 i IP68
5050RGB	RGB	DC12v	14,4 w/m	60	5000*10mm	5m/10m/100m	IP 20 i IP68
3528W	BELA	DC12v	4,8 w/m	60	5000*8mm	5m/10m/100m	IP 20 i IP68
3528WW	TOPLO BELA	DC12v	4,8 w/m	60	5000*8mm	5m/10m/100m	IP 20 i IP68
5050W	BELA	DC12v	7,2 w/m	30	5000*10mm	5m/10m/100m	IP 20 i IP68
5050WW	TOPLO BELA	DC12v	7,2 w/m	30	5000*10mm	5m/10m/100m	IP 20 i IP68
3528W	BELA	DC12v	9,6 w/m	120	5000*8mm	5m/10m/100m	IP 20 i IP68
3528WW	TOPLO BELA	DC12v	9,6 w/m	120	5000*8mm	5m/10m/100m	IP 20 i IP68

LED Driver IP 67

Model	Ulazni napon	Izlazni Napon	w/metar	IP zaštita
F20	240V/50HZ	DC 12V/1,66A	20 w	IP 67
F30	240V/50HZ	DC 12V/2,5A	30 w	IP 67
F50	240V/50HZ	DC 12V/4,16A	50 w	IP 67
F60	240V/50HZ	DC 12V/5A	60 w	IP 67
F75	240V/50HZ	DC 12V/6,25A	75 w	IP 67
F100	240V/50HZ	DC 12V/8,33A	100 w	IP 67
F120	240V/50HZ	DC 12V/10A	120 w	IP 67
F150	240V/50HZ	DC 12V/12,5A	150 w	IP 67
F200	240V/50HZ	DC 12V/16,66A	200 w	IP 67
F300	240V/50HZ	DC 12V/25A	300 w	IP 67



LED Driver IP 20

Model	Ulazni napon	Izlazni Napon	w/metar	IP zaštita
S15	240V/50HZ	DC 12V/1,25A	15 w	IP 20
S20	240V/50HZ	DC 12V/2,1A	20 w	IP 20
S40	240V/50HZ	DC 12V/3,33A	40 w	IP 20
S50	240V/50HZ	DC 12V/4,15A	50 w	IP 20
S60	240V/50HZ	DC 12V/5A	60 w	IP 20
S75	240V/50HZ	DC 12V/6,25A	75 w	IP 20
S100	240V/50HZ	DC 12V/8,33A	100 w	IP 20
S120	240V/50HZ	DC 12V/10A	120 w	IP 20
S150	240V/50HZ	DC 12V/12,5A	150 w	IP 20
S180	240V/50HZ	DC 12V/15A	180 w	IP 20
S200	240V/50HZ	DC 12V/16,66A	200 w	IP 20
S250	240V/50HZ	DC 12V/21A	250 w	IP 20
S350	240V/50HZ	DC 12V/29A	350 w	IP 20
S400	240V/50HZ	DC 12V/33,3A	400 w	IP 20
S500	240V/50HZ	DC 12V/41,66A	500 w	IP 20



Oprema



E-40
Grlo E 40 750 V / 16A



519v
Grlo E 27 250 V/4A



F 519 A M4
Grlo E 27 250 V/4A



F 519
Grlo E 27 250 V/4A



F 519 M
Grlo E 27 250 V/4A



E-14
Grlo E 14 250 V/4A



Gz10
Gu/Gz10 250 V/2,5A
2x0,75mm², 150 mm



Skmr16
G4,GU4,GX5.3,GU5.3,G6.35
24 V/5A
2x0,75mm², 150 mm



Starter
BS 1 4-22 w | BS 2 4 - 65 w

Magnetni balast



ELB/M 18 W
ELB/M 36 W

Elektronski balasti



ELB 18w
ELB 36w
ELB 2x18w
ELB 2x36w
ELB 4x18w



Kleme

Model	Specifikacija
TB25	2,5mm ²
TB40	4,0mm ²
TB60	6,0mm ²
TB100	10,0mm ²

Izolir traka.




Specifikacija	boja
pvc 19mmx0,13mmx10m	crna
pvc 19mmx0,13mmx10m	bela
pvc 19mmx0,13mmx10m	zuto-zelena
pvc 19mmx0,13mmx10m	plava
pvc 19mmx0,13mmx10m	crvena
pvc 19mmx0,13mmx20m	crna
pvc 19mmx0,13mmx20m	bela
pvc 19mmx0,13mmx20m	zuto-zelena
pvc 19mmx0,13mmx20m	plava
pvc 19mmx0,13mmx20m	crvena



Prespojna sprava PCL 2x26



Prespojna sprava GMH-150 w



NL-1 1w




Zamensko staklo
za HN 2087



Senzor pokreta 180 stepeni



101DS Dnevni tajmer
101TS Nedeljni tajmer



NL-2 1w



Kapa za stelo



Elektronski trafo

Naziv	Specifikacija
bze 60	20-60w,4,9A
bze 70	20-70w,12v
bze 105	35-105w,12v
bze 150	50-150w,12v
bze 200	70-200w,12v
bzx 60	0-60w,12v
bzx 105	0-105w,12v
bzx 150	0-150w,12v
bzx 250	0-250w,12v



Rezervna stakla za mist, portiu, tintu, equa, bi
anca, belinda, remini, tivoli, reflektori...

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

e-mail: office@brilum.rs

e-mail: maloprodaja@brilum.rs

2014
Katalog proizvoda

BRILIGHT

Makel elektro

